

年間降水量一覽表(1)

月降水量(mm)		松本測候所											
年	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	年合計
1898 (M 31)	73.2	66.5	33.5	87.5	61.6	226.3	58.6	110.8	194.1	12.6	100.0	72.5	1097.2
1899 (M 32)	14.0	52.9	93.5	103.5	91.4	168.0	111.4	50.7	273.9	140.5	13.9	53.0	1166.7
1900 (M 33)	74.5	48.6	41.3	129.7	45.9	79.2	136.4	126.1	147.7	63.7	86.2	33.7	1013.0
1901 (M 34)	89.4	11.1	80.5	98.1	81.0	149.3	102.0	79.9	63.6	131.0	44.0	72.7	1002.6
1902 (M 35)	19.6	8.2	60.6	125.5	159.0	90.7	168.8	201.8	125.3	62.0	78.5	50.2	1150.2
1903 (M 36)	69.2	55.9	160.8	102.2	105.3	87.1	288.8	42.1	253.0	201.4	90.8	31.7	1488.3
1904 (M 37)	21.6	24.3	63.0	102.5	210.5	85.9	194.5	17.2	119.8	108.3	21.4	62.7	1031.7
1905 (M 38)	40.0	28.9	55.4	99.6	88.7	373.4	98.3	261.4	101.0	101.1	21.0	56.5	1325.3
1906 (M 39)	52.1	117.4	81.8	43.2	54.0	150.1	276.8	24.6	232.5	145.4	8.4	41.9	1228.2
1907 (M 40)	53.5	6.1	62.8	97.7	148.3	118.4	125.7	171.4	214.6	84.6	26.1	23.6	1132.8
1908 (M 41)	24.0	30.2	108.1	167.6	71.6	168.9	121.5	167.1	102.0	59.8	13.3	48.5	1082.6
1909 (M 42)	81.9	20.7	126.4	55.6	131.3	246.7	75.3	43.3	215.8	41.7	40.2	13.0	1091.9
1910 (M 43)	88.2	24.5	68.1	45.1	128.2	111.0	86.4	244.9	252.2	184.0	27.3	20.4	1280.3
1911 (M 44)	54.3	34.6	89.4	168.8	44.0	297.9	245.3	296.3	143.0	61.6	65.2	29.7	1530.1
1912 (M 45)	30.0	86.5	99.6	68.5	66.9	133.2	111.2	99.5	161.6	56.6	27.5	112.7	1053.8
1913 (T 2)	52.4	27.3	34.2	64.5	161.7	170.6	54.0	101.3	65.9	125.0	68.2	46.5	971.6
1914 (T 3)	23.3	39.4	113.3	57.2	169.5	86.6	41.1	227.5	64.2	86.4	12.7	23.9	945.1
1915 (T 4)	54.3	142.4	66.1	162.0	108.9	189.5	22.4	85.3	101.3	205.0	12.9	17.1	1167.2
1916 (T 5)	17.8	99.8	16.9	61.8	63.1	166.3	145.8	75.5	293.3	224.8	177.5	70.2	1412.8
1917 (T 6)	16.4	9.9	125.6	41.8	55.0	185.8	62.7	56.5	296.0	261.7	51.3	5.0	1167.7
1918 (T 7)	4.2	29.3	94.8	80.9	81.3	61.9	60.3	111.7	185.0	191.3	55.3	26.6	982.6
1919 (T 8)	70.0	38.7	75.4	57.5	58.8	79.7	248.1	163.8	159.3	83.2	93.7	68.4	1196.6
1920 (T 9)	65.8	51.1	57.9	75.7	104.8	153.4	116.1	80.1	137.5	68.0	32.5	60.4	1003.3
1921 (T 10)	71.0	53.4	99.0	81.8	118.8	199.7	120.6	67.0	280.2	150.9	23.8	27.6	1293.8
1922 (T 11)	35.2	116.4	71.9	81.0	45.1	51.7	79.1	106.3	33.2	50.4	90.3	22.6	783.2
1923 (T 12)	67.9	95.8	92.1	107.7	147.6	341.2	272.2	42.5	172.1	105.1	78.5	14.6	1537.3
1924 (T 13)	5.5	22.3	21.9	54.4	85.5	82.8	71.1	50.3	167.1	93.5	27.9	7.8	690.1
1925 (T 14)	15.6	30.2	24.6	73.3	77.3	125.7	143.7	97.5	170.4	41.2	81.0	48.0	928.5
1926 (T 15)	22.3	25.9	48.3	73.0	50.8	39.8	25.5	57.7	115.4	35.0	20.0	64.5	578.2
1927 (S 2)	15.4	30.7	160.7	72.1	115.6	40.2	106.5	88.0	293.9	56.9	46.3	29.9	1056.2
1928 (S 3)	65.9	69.0	40.7	112.6	63.0	205.2	218.1	36.3	75.0	212.6	57.4	27.6	1183.4
1929 (S 4)	5.4	7.9	34.1	69.8	106.4	50.0	88.5	123.3	382.9	132.2	119.5	58.3	1178.3
1930 (S 5)	21.0	73.2	70.6	116.7	68.3	173.2	104.0	119.1	107.7	115.4	65.0	23.3	1057.5
1931 (S 6)	50.7	60.7	62.5	74.0	130.0	137.5	241.6	19.5	82.7	157.2	114.1	47.0	1177.5
1932 (S 7)	17.5	32.4	64.5	97.4	31.1	206.2	199.0	158.8	265.3	29.3	108.8	63.0	1273.3
1933 (S 8)	43.8	22.1	119.1	102.9	49.0	64.1	127.9	129.8	44.5	143.5	30.6	51.4	928.7
1934 (S 9)	15.0	28.9	44.8	75.0	75.5	117.9	100.1	49.2	178.5	94.3	43.6	50.6	873.4
1935 (S 10)	36.8	54.3	58.5	87.7	48.7	148.7	105.1	242.2	229.3	63.2	45.8	56.4	1176.7
1936 (S 11)	27.0	53.3	38.6	132.9	127.2	55.9	132.3	49.0	126.2	148.0	36.9	56.8	984.1
1937 (S 12)	49.5	118.3	100.2	78.7	85.7	56.9	163.3	85.8	79.7	156.8	103.7	42.4	1121.0
1938 (S 13)	32.4	39.0	83.2	64.8	80.2	219.2	155.4	104.9	54.5	237.9	17.8	33.8	1123.1
1939 (S 14)	31.9	24.8	56.3	66.9	44.7	70.6	99.5	124.7	126.1	76.2	40.3	1.1	763.1
1940 (S 15)	5.9	46.1	20.9	75.8	26.9	128.7	78.5	91.3	34.5	88.2	54.5	22.3	673.6
1941 (S 16)	24.6	26.7	68.5	48.2	188.8	195.4	233.4	108.3	217.4	51.3	53.6	51.9	1268.1
1942 (S 17)	8.9	67.8	70.8	88.3	65.0	154.8	2.2	91.7	121.4	53.6	30.2	5.0	759.7
1943 (S 18)	16.6	43.6	37.0	45.7	36.8	81.1	131.8	87.7	147.1	126.9	16.7	7.2	778.2
1944 (S 19)	12.6	32.7	37.4	112.8	55.2	43.6	73.6	139.6	40.6	131.5	95.5	8.2	783.3
1945 (S 20)	8.8	53.5	50.6	52.8	79.6	123.4	109.1	79.1	150.0	460.6	63.3	33.9	1264.7
1946 (S 21)	27.9	56.6	88.3	68.9	75.6	84.3	101.9	102.4	59.2	128.4	73.5	75.0	942.0
1947 (S 22)	54.7	24.5	48.1	81.3	130.4	86.8	79.3	134.7	151.7	35.5	2.2	37.0	866.2
1948 (S 23)	40.1	29.3	50.2	98.6	38.8	132.1	131.6	98.2	119.5	103.0	109.5	32.7	983.6
1949 (S 24)	52.2	36.7	43.5	41.6	78.7	217.0	99.9	145.8	168.3	150.4	85.1	57.4	1176.6
1950 (S 25)	55.2	44.6	52.3	64.5	108.5	335.3	78.0	122.8	38.3	127.5	86.7	75.5	1189.2
1951 (S 26)	36.9	52.0	76.4	165.5	57.9	140.9	248.5	70.9	101.3	57.8	94.3	33.8	1136.2
1952 (S 27)	83.4	65.8	131.2	162.0	91.6	218.8	203.3	68.1	157.7	69.4	52.1	16.3	1319.7
1953 (S 28)	33.9	34.2	68.4	26.8	114.9	282.9	220.0	146.9	243.1	66.7	11.4	36.5	1285.7
1954 (S 29)	62.1	31.9	55.9	95.7	147.2	276.5	119.3	105.7	170.3	30.5	86.5	20.5	1202.1
1955 (S 30)	29.4	65.5	116.9	66.2	116.7	68.8	64.4	100.1	170.6	211.8	50.8	13.2	1074.4
1956 (S 31)	57.3	43.2	140.2	120.9	164.7	159.3	97.4	195.8	171.4	85.6	27.9	7.4	1271.1
1957 (S 32)	11.2	89.6	35.2	69.3	80.6	166.5	166.2	122.6	183.8	49.3	17.3	40.8	1032.4

年間降水量一覽表(2)

月降水量(mm)		松本測候所											
年	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	年合計
1958 (S 33)	67.2	99.9	28.3	76.3	39.1	72.5	170.3	159.6	205.0	180.3	57.2	55.4	1211.1
1959 (S 34)	36.9	62.7	62.3	104.7	96.0	144.7	151.3	166.4	196.2	143.1	83.3	90.8	1338.4
1960 (S 35)	26.4	17.7	40.6	71.6	131.6	77.0	83.5	175.2	118.0	71.9	47.6	39.4	900.5
1961 (S 36)	30.5	14.4	80.0	110.1	42.4	319.2	63.4	24.5	110.3	141.9	36.4	11.0	984.1
1962 (S 37)	21.3	7.6	14.9	91.9	135.5	242.0	131.5	53.0	16.5	105.2	35.7	24.8	879.9
1963 (S 38)	16.3	17.8	87.6	84.7	107.1	180.7	175.0	79.1	55.4	112.4	57.9	10.2	984.2
1964 (S 39)	70.4	51.5	55.4	123.7	39.0	131.4	159.5	79.5	234.2	96.7	48.2	20.7	1110.2
1965 (S 40)	33.2	9.8	19.7	71.3	271.5	148.9	200.1	21.1	197.6	44.9	86.8	50.0	1154.9
1966 (S 41)	16.0	89.0	90.8	48.0	139.3	173.7	128.1	41.6	243.8	92.9	25.9	11.4	1100.5
1967 (S 42)	43.7	45.6	97.9	122.1	36.6	88.3	162.7	94.7	65.1	112.2	60.4	15.4	944.7
1968 (S 43)	22.5	41.5	90.0	87.0	77.5	113.0	84.5	191.0	27.5	97.0	12.5	73.0	917.0
1969 (S 44)	45.5	71.0	81.0	79.0	59.0	193.5	153.5	166.5	124.0	53.0	32.0	16.5	1074.5
1970 (S 45)	28.0	36.5	29.5	37.0	69.0	257.0	27.0	30.5	127.0	73.5	52.0	32.0	799.0
1971 (S 46)	9.5	18.5	60.5	90.5	93.5	103.0	124.0	101.0	304.5	76.0	8.5	47.0	1036.5
1972 (S 47)	56.5	80.5	65.5	90.0	47.5	112.0	211.0	89.5	138.0	40.5	51.0	64.5	1046.5
1973 (S 48)	84.5	53.0	4.5	122.0	94.0	125.5	27.0	51.5	118.0	143.5	36.0	1.0	860.5
1974 (S 49)	2.5	46.0	63.0	137.5	68.0	110.5	234.0	160.5	112.5	70.0	36.0	24.5	1065.0
1975 (S 50)	48.0	38.0	41.0	69.0	100.5	161.5	199.5	65.5	90.0	111.0	86.5	31.0	1041.5
1976 (S 51)	0.0	64.5	45.5	113.0	167.5	205.5	150.0	161.0	207.0	84.0	16.0	30.5	1244.5
1977 (S 52)	14.5	12.0	109.0	102.0	70.5	152.5	77.0	84.5	90.0	52.0	77.5	33.0	874.5
1978 (S 53)	13.5	23.5	38.5	95.0	32.0	203.5	92.5	17.5	149.0	105.5	61.5	22.5	854.5
1979 (S 54)	39.5	77.0	35.5	112.5	110.5	97.0	72.5	162.5	97.5	215.0	124.5	12.0	1156.0
1980 (S 55)	35.5	4.5	106.5	100.0	87.5	89.0	200.5	137.0	121.0	144.5	49.0	33.0	1108.0
1981 (S 56)	1.5	43.5	41.0	88.0	147.5	109.0	288.5	225.5	92.5	83.5	62.0	4.5	1187.0
1982 (S 57)	6.5	8.0	51.5	39.5	59.0	146.0	128.5	163.5	301.0	50.5	91.5	6.5	1052.0
1983 (S 58)	28.5	40.0	94.0	119.0	104.0	93.5	205.5	112.0	301.5	65.5	17.0	7.5	1188.0
1984 (S 59)	27.0	49.5	33.0	62.0	65.5	133.0	131.5	55.0	65.5	23.0	42.0	32.5	719.5
1985 (S 60)	3.5	106.0	141.0	121.5	56.5	289.5	143.5	34.5	227.5	82.0	47.0	14.0	1266.5
1986 (S 61)	10.0	29.5	86.5	43.5	88.5	80.0	108.0	82.5	89.0	38.5	20.0	57.5	733.5
1987 (S 62)	34.0	47.5	75.5	8.5	92.0	97.0	93.5	34.0	64.5	46.5	28.5	15.0	636.5
1988 (S 63)	11.5	10.5	131.5	67.0	133.0	225.0	141.0	102.5	217.5	52.0	22.0	7.5	1121.0
1989 (S 64)	72.0	116.0	64.5	99.5	176.5	182.0	141.5	116.5	183.5	95.0	27.5	21.0	1295.5
1990 (H 2)	29.0	74.5	85.0	61.0	53.5	35.5	45.0	59.5	209.0	120.0	76.5	32.5	881.0
1991 (H 3)	33.0	51.0	135.0	107.0	66.0	165.0	177.0	122.5	199.5	258.0	71.0	17.5	1402.5
1992 (H 4)	38.5	17.0	153.0	130.0	73.5	115.5	52.0	32.5	31.0	128.0	53.5	36.0	860.5
1993 (H 5)	72.0	65.5	35.5	42.0	119.5	144.5	215.5	190.0	207.0	98.5	56.0	44.5	1290.5
1994 (H 6)	22.0	33.5	38.5	33.0	60.5	143.0	39.0	7.0	178.5	57.5	22.5	7.5	642.5
1995 (H 7)	43.0	12.0	65.5	69.0	103.5	106.0	227.0	45.5	116.0	24.0	25.0	2.5	839.0
1996 (H 8)	10.0	29.5	110.0	26.5	114.5	82.0	101.5	112.0	162.5	60.5	64.5	36.0	909.5
1997 (H 9)	30.5	17.0	61.5	85.0	83.0	52.5	122.5	21.5	143.0	5.5	149.5	37.5	809.0
1998 (H 10)	117.5	69.0	57.5	191.5	155.5	129.0	53.5	127.5	184.5	174.5	4.0	18.5	1282.5
1999 (H 11)	8.0	25.0	99.0	75.5	83.5	239.0	140.5	103.0	238.5	84.0	52.0	0.5	1148.5
2000 (H 12)	30.0	12.0	75.5	103.0	68.0	150.5	35.0	96.0	230.0	94.0	107.5	1.5	1003.0
2001 (H 13)	99.5	33.5	72.0	25.0	127.0	159.5	22.0	76.0	119.0	149.5	36.0	20.0	939.0
2002 (H 14)	85.5	14.0	65.0	60.5	115.5	72.5	273.0	39.5	129.0	142.0	26.0	56.0	1078.5
2003 (H 15)	82.5	29.5	104.5	97.5	95.0	63.0	94.5	184.0	99.5	70.0	170.0	15.5	1105.5
2004 (H 16)	10.5	37.5	52.5	77.0	187.5	98.0	32.5	81.5	210.0	388.5	35.5	83.5	1294.5
2005 (H 17)	22.0	42.0	62.0	23.0	44.0	69.0	173.0	86.5	50.5	31.0	44.5	5.5	653.0

年間降水量一覧表 (3)

月降水量(mm) 年	穂高観測所												
	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	年合計
1979 (S 54)	42.0	71.0	45.0	104.0	99.0	75.0	43.0	138.0	88.0	204.0	123.0	13.0	1045.0
1980 (S 55)	34.0	3.0	107.0	96.0	91.0	57.0	212.0	121.0	125.0	161.0	49.0	46.0	1102.0
1981 (S 56)	17.0	50.0	62.0	112.0	174.0	112.0	230.0	153.0	69.0	91.0	81.0	5.0	1156.0
1982 (S 57)	17.0	16.0	72.0	70.0	79.0	141.0	102.0	135.0	237.0	50.0	82.0	18.0	1019.0
1983 (S 58)	36.0	32.0	104.0	103.0	67.0	50.0	123.0	99.0	65.0)	82.0	24.0	12.0	732.0
1984 (S 59)	30.0	53.0	35.0	61.0	71.0	110.0	100.0	74.0	71.0	35.0	63.0	31.0	734.0
1985 (S 60)	7.0	109.0	149.0	123.0	51.0	312.0	177.0	72.0	218.0	77.0	55.0	25.0	1375.0
1986 (S 61)	12.0	23.0	66.0	56.0	122.0	93.0	124.0	53.0	76.0	46.0	14.0	74.0	759.0
1987 (S 62)	40.0	49.0	91.0	10.0	107.0	113.0	75.0	55.0	68.0	16.0	11.0	11.0	646.0
1988 (S 63)	8.0	16.0	86.0	45.0	96.0	180.0	118.0	84.0	174.0	59.0	19.0	7.0	892.0
1989 (S 64)	71.0	76.0	65.0	104.0	149.0	152.0	148.0	119.0	192.0	84.0	26.0	27.0	1213.0
1990 (H 2)	42.0	82.0	77.0	66.0	62.0	47.0	47.0	24.0)	201.0	111.0	73.0	32.0	864.0
1991 (H 3)	33.0	78.0	127.0	87.0	42.0	172.0	162.0	136.0	202.0	264.0	56.0	26.0	1385.0
1992 (H 4)	43.0	22.0	138.0	112.0)	63.0	128.0	142.0	31.0	25.0	140.0	50.0	36.0	930.0
1993 (H 5)	65.0	82.0)	42.0	36.0	153.0	123.0	249.0	235.0	236.0	104.0	58.0	45.0	1428.0
1994 (H 6)	30.0)	35.0)	42.0	38.0	71.0	136.0	33.0	25.0	220.0	77.0	28.0	20.0	755.0
1995 (H 7)	42.0	19.0	96.0	72.0	108.0	128.0	263.0	45.0	106.0	30.0	36.0	14.0	959.0
1996 (H 8)	23.0	27.0	151.0	28.0	98.0	134.0	68.0	139.0	130.0	48.0	82.0	47.0	975.0
1997 (H 9)	36.0	28.0	61.0	67.0	93.0	60.0	153.0	40.0	157.0	4.0	152.0	32.0	883.0
1998 (H 10)	108.0	76.0	73.0	188.0	180.0	138.0	77.0	149.0	210.0	193.0	8.0	11.0	1411.0
1999 (H 11)	11.0	39.0	94.0	69.0	109.0	274.0	121.0	115.0	276.0	106.0	65.0	7.0	1286.0
2000 (H 12)	26.0	18.0	85.0	91.0	56.0	137.0	99.0	105.0	210.0	85.0	107.0	7.0	1026.0
2001 (H 13)	106.0	35.0	71.0	21.0	122.0	196.0	7.0	107.0	135.0	167.0	50.0	27.0	1044.0
2002 (H 14)	118.0	17.0	73.0	59.0	105.0	54.0	230.0	49.0	140.0	124.0	28.0	49.0	1046.0
2003 (H 15)	83.0	24.0	91.0	110.0	69.0	81.0	127.0	211.0	115.0	50.0	164.0	25.0	1150.0
2004 (H 16)	18.0	43.0	52.0	103.0	175.0	120.0	81.0	143.0	242.0	370.0	31.0	80.0	1458.0
2005 (H 17)	20.0	53.0	76.0	22.0	46.0	83.0	221.0	82.0	65.0	40.0	43.0	12.0	763.0

※右括弧付き数値「例;35.0)」は準完全値であり、統計値を求める対象の一部が欠けているが、そのデータ数が許容範囲の場合である。

————— 南安曇地区地下水集計解析報告書 —————

平成 18 年 3 月発行

発 行 南安曇郡水資源対策協議会
長野県安曇野市豊科 4932 番地 46 安曇野市役所内
TEL (0263)71-2000

調査・集計解析 株式会社サクセン

印 刷 有限会社 大気堂